



DRAWING FILE: T:\AUTOCAD BLOCKS\2010+\SHARED USE PATH CONCRETE - WITHIN 2KM OF COAST (M1552).dwg 3/01/2023 2:53:25 PM



TRANSVERSE CONTRACTION JOINT

- @ 3m MAX. CENTRES FOR 3m WIDE PATH.
- @ 2.5m MAX. CENTRES FOR 2m WIDE PATH.
- @ 2m MAX. CENTRES FOR 1.5m WIDE PATH.



SHARED USE PATH - (CONCRETE)

SCALE 1 : 20


NOTES:

1. RECYCLED QUARRIED PRODUCTS SHALL BE FREE FROM GLASS AND CERAMIC DEBRIS.
2. MAXIMUM LONGITUDINAL GRADIENT OF FOOTPATH SHALL BE 1:33.
3. THIS DETAIL IS FOR SHARED USE PATH WITHIN 2KM OF COASTLINE.

STANDARD SIZES

	100 SLAB	125 SLAB	150 SLAB	200 SLAB	250 SLAB
16mm SQUARE DOWEL (300/400 LONG)	300 ctrs	300 ctrs	300 ctrs	300 ctrs	300 ctrs
20mm SQUARE DOWEL (400/500 LONG)	300 ctrs	300 ctrs	300 ctrs	300 ctrs	300 ctrs


DANLEY EXPANDA JOINT INSTALLED TO MANUFACTURERS SPECIFICATION.



EXPANSION/CONTRACTION JOINT

SCALE 1 : 10

- @ 9m MAX. CENTRES FOR 3m WIDE PATH.
- @ 7.5m MAX. CENTRES FOR 2m WIDE PATH.
- @ 6m MAX. CENTRES FOR 1.5m WIDE PATH.



COORDINATOR DESIGN
B. MORIAS
03.01.23

EDITED
G. FERTEKLIS
03.01.23

DRAWN
J. CURSARO
01.02.21

DESIGNED
J. CURSARO
01.02.21

STANDARD DETAIL

SHARED USE PATH

CONCRETE - WITHIN 2KM OF COAST

SCALE AS SHOWN

CITY OF CHARLES STURT

SHEET 1 of 1

TRIM No. 21/26625

DRAWING No. M1552